

# Tubería

REDONDA • CUADRADA • RECTANGULAR



- Normas: Milimétrica, ISO, ASTM, Capilar, Alimentaria
- Calidades: A-304, A-304 L, A-316 L
- Otras normas, calidades y medidas; consultar

DIAMETROS mm Ext. x int.	Esp.	PESO Kg/m
6 x 4	1	0,125
8 x 6	1	0,175
10 x 8	1	0,225
12 x 10	1	0,275
13 x 10	1,5	0,456
14 x 12	1	0,325
15 x 12	1,5	0,506
16 x 14	1	0,376
18 x 16	1	0,426
18 x 15	1,5	0,619
20 x 18	1	0,480
20 x 17	1,5	0,700
22 x 19	1,5	0,790
23 x 20	1,5	0,807
25 x 23	1	0,600
25,4 x 22,9	1,25	0,720
25 x 22	1,5	0,883
26 x 23	1,5	0,990
28 x 25	1,5	1,000
30 x 27	1,5	1,070
33 x 30	1,5	1,170
35 x 32	1,5	1,260
38 x 35	1,5	1,360
40 x 38	1	0,992
43 x 40,6	1,2	1,248
43 x 40	1,5	1,560
44 x 40	2	2,100
50,8 x 47,8	1,5	1,850
53 x 50	1,5	1,920
63 x 60	1,5	2,400
73 x 70	1,5	2,702
76 x 73	1,5	2,780
84 x 80	2	4,132
104 x 100	2	5,070
129 x 125	2	6,400
154 x 150	2	7,760
204 x 200	2	10,180
254 x 250	2	12,700
304 x 300	2	15,100
354 x 350	2	17,500
406 x 400	3	30,000
456 x 450	3	33,800
506 x 500	3	37,500

DN PULGADAS		TUBO	
		MEDIDAS mm	PESO Kg/m
3/8"	DN-10	17,2 x 1,6	0,646
		17,2 x 2,0	0,766
1/2"	DN-15	21,3 x 1,6	0,817
		21,3 x 2,0	0,973
		21,3 x 2,6	1,285
3/4"	DN-20	26,9 x 1,6	1,049
		26,9 x 2,0	1,255
		26,9 x 2,6	1,600
1"	DN-25	33,7 x 1,6	1,332
		33,7 x 2,0	1,598
		33,7 x 2,6	2,050
1-1/4"	DN-32	42,4 x 1,6	1,694
		42,4 x 2,0	2,036
		42,4 x 2,6	2,600
		42,4 x 3,0	2,979
1-1/2"	DN-40	48,3 x 1,6	1,939
		48,3 x 2,0	2,333
		48,3 x 2,6	3,040
		48,3 x 3,0	3,424
2"	DN-50	60,3 x 1,6	2,438
		60,3 x 2,0	2,938
		60,3 x 2,6	3,770
		60,3 x 3,0	4,331
2-1/2"	DN-65	76,1 x 1,6	3,095
		76,1 x 2,0	3,734
		76,1 x 2,6	4,820
		76,1 x 3,0	5,526
3"	DN-80	88,9 x 1,6	3,627
		88,9 x 2,0	4,379
		88,9 x 2,6	5,650
		88,9 x 3,0	6,494
3-1/2"	DN-90	101,6 x 2,0	5,019
		101,6 x 2,6	6,492
		101,6 x 3,0	7,454
4"	DN-100	114,3 x 1,6	4,683
		114,3 x 2,0	5,659
		114,3 x 2,6	7,324
		114,3 x 3,0	7,730
5"	DN-125	139,7 x 2,0	6,940
		139,7 x 2,6	8,980
		139,7 x 3,0	10,334
6"	DN-150	168,3 x 2,0	8,381
		168,3 x 2,6	10,860
		168,3 x 3,0	12,496
8"	DN-200	219,1 x 2,0	10,936
		219,1 x 2,6	14,180
		219,1 x 3,0	16,329
10"	DN-250	273,1 x 2,0	13,658
		273,1 x 2,6	17,722
		273,1 x 3,0	20,412
12"	DN-300	323,9 x 2,0	16,223
		323,9 x 2,6	21,057
		323,9 x 3,0	24,260

DIÁMETRO		SCHEDULE 5		SCHEDULE 10		SCHEDULE 40	
DN	mm.	Espesor mm.	Peso kgs.	Espesor mm.	Peso kgs.	Espesor mm.	Peso kgs.
1/4"	13.72			1.65	0.49	2.24	0.64
3/8"	17.15			1.65	0.63	2.31	0.85
1/2"	21.34	1.65	0.81	2.11	1.01	2.77	1.28
3/4"	26.67	1.65	1.03	2.11	1.30	2.87	1.71
1"	33.40	1.65	1.31	2.77	2.12	3.38	2.54
1 1/4"	42.16	1.65	1.67	2.77	2.73	3.56	3.44
1 1/2"	48.26	1.65	1.92	2.77	3.16	3.68	4.11
2"	60.33	1.65	2.42	2.77	3.99	3.91	5.52
2 1/2"	73.03	2.11	3.74	3.05	5.34	5.16	8.76
3"	88.9	2.11	4.58	3.05	6.55	5.49	11.46
3 1/2"	101.6	2.11	5.25	3.05	7.52	5.74	13.70
4"	114.3	2.11	5.93	3.05	8.49	6.02	16.32
5"	141.3	2.77	9.61	3.40	11.74	6.55	22.09
6"	168.28	2.77	11.50	3.40	14.03	7.11	28.69
8"	219.08	2.77	15.0	3.76	19.94	8.18	43.18
10"	273.05	3.40	22.9	4.19	27.83	9.27	61.22
12"	323.85	3.96	31.7	4.57	36.00	9.52	73.82
14"	355.6	3.96	34.9	4.78	41.30	9.52	81.28
16"	406.4	4.19	42.0	4.78	47.29	9.52	93.21
18"	457.2	4.19	47.5	4.78	53.26	9.52	105.14
20"	508	4.78	60.2	5.54	68.50	9.52	117.07

Tubería sin soldadura bajo pedido



MEDIDA mm. ext. x pared	MEDIDA mm. Ø int.	CALIDAD	TRATAMIENTO	PESO Kg/mt.
0.5 x 0.12	0.26	AISI-304	DURO	0.0011
0.6 x 0.15	0.30	AISI-304	DURO	0.0017
0.7 x 0.15	0.40	AISI-304	DURO	0.0021
0.8 x 0.15	0.50	AISI-304	DURO	0.0025
0.9 x 0.15	0.60	AISI-304	DURO	0.0028
1.0 x 0.15	0.70	AISI-304	DURO	0.0032
1.1 x 0.15	0.80	AISI-304	DURO	0.0036
1.2 x 0.20	0.80	AISI-304	DURO	0.0050
1.3 x 0.15	1.00	AISI-304	DURO	0.0043
1.4 x 0.15	1.10	AISI-304	DURO	0.0047
1.5 x 0.15	1.20	AISI-304	DURO	0.0051
1.6 x 0.19	1.22	AISI-304	DURO	0.0068
1.7 x 0.15	1.40	AISI-304	DURO	0.0058
1.8 x 0.20	1.40	AISI-304	DURO	0.0080
2.0 x 0.20	1.60	AISI-304	DURO	0.0090
2.0 x 0.50	1.00	AISI-316	DURO	0.0188
2.2 x 0.25	1.70	AISI-304	DURO	0.0123
2.5 x 0.25	2.00	AISI-304	DURO	0.0140
2.5 x 0.50	1.50	AISI-304	DURO	0.251
2.6 x 0.20	2.20	AISI-304	DURO	0.0120
3.0 x 0.25	2.50	AISI-304	DURO	0.0170
3.0 x 0.50	2.00	AISI-316	DURO	0.0310
3.5 x 0.25	3.00	AISI-304	DURO	0.0204
4.0 x 0.30	3.40	AISI-304	RECOCIDO	0.0280
4.0 x 0.50	3.00	AISI-316	DURO	0.0440
4.25 x 0.25	3.75	AISI-304	DURO	0.0250
4.5 x 0.25	4.00	AISI-304	DURO	0.0267
4.7 x 0.25	4.20	AISI-304	DURO	0.0280
5.0 x 0.25	4.50	AISI-304	RECOCIDO	0.0298
5.0 x 0.50	4.00	AISI-316	DURO	0.0565
6.0 x 0.25	5.50	AISI-304	DURO	0.0361

Lado mm.	Espesor mm.	Peso Kg/m.	Lado mm.	Espesor mm.	Peso Kg/m.
10	1	0,264	70	2	4,320
12	1	0,358		3	6,384
15	1	0,432		4	8,384
	1,5	0,624		5	10,00
	2	0,800		80	2
20	1	0,592	3		7,344
	1,5	0,864	4		9,664
	2	1,120	5		11,60
25	1	0,752	100	6	13,92
	1,5	1,104		2	6,240
	2	1,440		2,5	7,740
	3	2,178		3	9,264
30	1	0,912		4	12,22
	1,5	1,344		5	14,80
	2	1,760	6	17,76	
	3	2,544	120	2	7,520
35	1,5	1,584		3	11,18
	2	2,080		4	14,78
	3	3,024		5	18,00
40	1	1,232	140	6	21,60
	1,5	1,824		3	13,10
	2	2,400		4	17,34
	3	3,504		5	21,20
	4	4,544		150	3
50	1,5	2,292	4		18,62
	2	3,040	5		22,80
	3	4,559	6		27,36
	4	5,979	200		3
	5	6,800		4	25,02
60	1,5	2,772		5	30,80
	2	3,680		6	36,96
	3	5,424			
	4	7,104			
	5	8,400			

**Posibilidad de suministro desde 10x10x1 hasta 300x300x12,5 en ambas calidades, así como A-316 Ti**

# TUBO RECTANGULAR EN ACERO INOXIDABLE

MEDIDAS m/m	PESO kg/m
20x10x1	0.453
30x15x1	0.689
30x15x1'5	1.010
40x20x1	0.960
40x20x1'5	1.380
50x25x1'5	1.734
50x30x1'5	1.852
60x30x1'5	2.090
60x40x1'5	2.330
80x40x1'5	2.820
60x40x2	3.080
80x40x2	3.724
80x40x3	5.500
100x40x2	4.380
100x50x2	4.687
100x60x2	5.040
100x40x3	6.500
100x50x3	6.950
100x60x3	7.484
120x60x3	8.390
120x80x3	9.530

Bajo demanda, estamos en disposición de ofrecerles más de 125 medidas diferentes de tubo rectangular, desde 30x20x1,2 hasta 400x200x12,5, tanto en A-304 como en A-316 L y 316 TI.

Además, disponemos en stock de tubo rectangular tipo llanta como:

- 40x10x1'5
- 50x10x1'5
- 50x20x1'5
- 60x10x1'5
- 60x20x1'5
- 80x10x1'5
- 80x20x1'5

